


\* DIMENSIONS MAY VARY IN ACTUAL INSTALLATION - FABRICATION CHANGES RESERVED - FIELD MEASUREMENT MAY BE REQUIRED \*

FIRST DRAWN	BY
05-13-21	CJC
REVISED	BY



**COPYRIGHT © TURNSTILES.US**  
 Copyright © Turnstiles.us All rights reserved. Reproduction or translation of this work without the express written permission of TURNSTILES.US is unlawful and is an infringement of intellectual property belonging to TURNSTILES.US.  
 All drawings and/or designs are restricted for use exclusively with a purchase, installation, and/or support from Turnstiles.us. Any other use of these materials is a violation of copyright law. Request for additional information should be addressed to the Legal Department, Turnstiles.us.



- ① Power Supply 110V [230V] - 14-2 AWG (3 conductors)
  - ② Lock Controls - 18/2 AWG - and/or Card Reader Cable 24/6 AWG Typical
  - ③ Connection of MASTER-SLAVE modules. Twisted pair cable
  - ④ Power supply 24V - Wire 0MY 3X1,5mm.
- Wires delivered with the device.


ELEVATION

**URGENT:**  
 Wires 3 and 4 need to be fed thru separate conduits.  
 Recommended conduit Ø30mm/[Ø1.2 in].



FLOOR PLAN

Note:  
 Two Standard Lanes Shown



CABINET BASE ANCHOR LOCATIONS

Note:  
 1. Drawing for initial planning where the screws holes should be.  
 Dimensions need to be checked on a finished product.

**TURNSTILES.US**  
 www.TURNSTILES.us  
 Call 303 670 1099 \* Text 303 918 9787  
 patrick.mcallister@turnstiles.us

Equipment Location Detail	
05-13-21 SG4 SERIES LOW GLASS OPTICAL SWING GATE CONDUITS AND ANCHORING	
DWG	05-13-21 SG4 CONDUITS AND ANCHOR DETAIL
DATE	05-13-21
SHEET - 1 OF 1	

AUTHORIZED SIGNATURE: \_\_\_\_\_ DATE: \_\_\_ / \_\_\_ / \_\_\_